Plastics, Rubber and Composites Processing and Applications **21** (1994) 323–325

Plastics, Rubber and Composites Processing and Applications

CONTENTS OF VOLUME 21

Volume 21 Number 1 1994

Guest Editorial

1 Mixed plastics recycling by thermal cracking
J.H. BROPHY (UK)

5 An investigation into the applicability of luminescent tagging to polymer recovery
E.C. CORBETT, J.G. FREY, R.I. GROSE, P.J. HENDRA & T TAYLOR-BROWN (UK)

13 Product capabilities of the BP gas phase process
D.M. RONDELEZ (UK) & J.-P. THIERSAULT (France)

19 Engineering design properties for injection moulding compounds based on poly (ether ether ketone)
D.R. MOORE, J.M. SMITH & S. TURNER (UK)

33 A modern strategy for the generation of creep data for plastics
D.R. MOORE & S. TURNER (UK)

43 Investigation in the process of cure of thermosets and selection of better information
V. PLESU, J. BOUZON & J.M. VERGNAUD (France)

53 The influence of soft filler characteristics and fusion level on the impact strength of poly(vinyl chloride)
F.H. AXTELL, W. SOPHANOWONG & K. RUJIRANONTAPONG (Thailand)

63 Forthcoming meetings

Volume 21 Number 2 1994

65 Advances in crosslinking technology
B. Å. SULTAN (Finland) & M. PALMLÖF (Sweden)

75 Polyurethanes from renewable resources. II — Properties of polymers derived from coconut diethanolamide: Laboratory and reaction injection moulding evaluation
M. J. DONNELLY & C. G. PLANE (UK)

81 Discrepancies in testing rubber compounds with different commercial capillary rheometers
J. L. LEBLANC (Belgium)

89 A preliminary study on the free radical degradation of glycolic acid/lactic acid copolymer
S. P. ZHONG, P. J. DOHERTY & D. F. WILLIAMS (UK)

99 Lifetime prediction of uPVC pipes — experimental and theoretical comparisons
L. S. BURN (Australia)

109 Structure-property relationship during reactive processing of blend of poly(butylene terephthalate) and functionalized ethylene–propylene rubber
P. VONGPANISH, A. K. BHOWMICK & T. INOUE (Japan)

115 Modification of polypropylene on blending with polyisoprene in the presence of maleic anhydride
C. ELS & W. J. MCGILL (South Africa)

Plastics, Rubber and Composites Processing and Applications (**21**) — © 1994 The Institute of Materials, England. Printed in Great Britain

125 Percolation concept and the electrical conductivity of carbon black-polymer composites: Butyl rubber mixed with SRF carbon black
A. ABO-HASHEM, H. M. SAAD & A. H. ASHOR (Egypt)

131 Forthcoming Meetings

Volume 21 Number 3 1994

133 Polyethylene pipe in the British gas distribution system
J. M. GREIG (UK)

141 Impact deformation of ABS and GRP motorcycle helmet shells
A. GILCHRIST & N. J. MILLS (UK)

151 Fracture of poly(ether-ether ketone) films
S. HASHEMI & Z. YUAN (UK)

163 Studies on gas counter pressure and low pressure structural foam molding, Part I : Process design and effect of processing conditions on surface quality of molded parts
J.-S. WU & M.-J. LEE (Taiwan)

173 Studies on gas counter pressure and low pressure structural foam molding, Part II : Effect of processing conditions on structure of molded parts
J.-S. WU & M.-J. LEE (Taiwan)

183 Studies on gas counter pressure and low pressure structural foam molding, Part III : Effect of processing conditions on mechanical properties of molded parts
J.-S. WU & M.-J. LEE (Taiwan)

191 Forthcoming Meetings

Volume 21 Number 4 1994

193 Advances in supported chromium catalysts
C. E. MARSDEN (UK)

201 Structure, transitions, and mechanical properties of polypropylene oriented by roll-drawing
J. YANG, C. E. CHAFFEY & G. J. VANCSO (Canada)

211 The effect of processing parameters on the quality of injection moulded parts by using the Taguchi Parameter Design method
O. VÄÄTÄINEN, P. JÄRVELÄ, K. VALTA & P. JÄRVELÄ (Finland)

219 Castable polyurea elastomers for toothed belts
Y. TAGUCHI, M. FURUKAWA & T. YOKOYAMA (Japan)

225 Rice husk ash as filler in polypropylene: Effect of wax and silane coupling agents
M. Y. AHMAD FUAD, R. SHUKOR, Z. A. MOHD ISHAK & A. K. MOHD OMAR (Malaysia)

237 Melt rheological behaviour of short sisal fibre reinforced polyethylene composites
K. JOSEPH, B. KURIAKOSE, C. K. PREMALATHA, S. THOMAS & C. PAVITHRAN (India)

247 The effect of fusion level on the Dematttia flex crack resistance of calcium carbonate filled plasticised poly(vinyl chloride)
F. H. AXTELL & J. RATANAPAKA (Thailand)

255 Forthcoming Meetings

Volume 21 Number 5 1994

257 Computer simulation of the rotational moulding process
L. XU & R. J. CRAWFORD (UK)

275 Effects of residual dichloromethane solvent on the cure of epoxy resin
I. MONDRAGON & C. B. BUCKNALL (UK)

283 Interchain crosslinking between NBR and Thiokol rubber and its effect on processability and structure–property relations of blends
A. R. TRIPATHY & C. K. DAS (India)

291 The environmental durability of elastomer to polymer-composite bonding
A. M. PRIEST (UK)

297 Mechanisms of failure in polymers weathered in an extreme natural environment
B. O'DONNELL, M. M. QAYYUM, L. TONG & J. R. WHITE (UK)

309 Absorption of liquid by a sphere with subsequent change in dimension, with radial diffusion and finite surface coefficient of mass transfer
N. BAKHOUYA-SABBAHI, J. BOUZON & J. M. VERGNAUD (France)

317 Book Reviews

321 Forthcoming Meetings

323 Contents of Volume